


## Not Recommended Installation Method For Use At Wood Siding To Deck Interface

This installation is not recommended by RailPro, nor is it an industry standard. It is not an approved waterproof finish. RailPro is unable to warranty any work using this procedure. By signing, it is agreed that the installation will be done without warranty.




Name: \_\_\_\_\_ Employee Witness: \_\_\_\_\_  
 (print): \_\_\_\_\_ (print): \_\_\_\_\_  
 (sign): \_\_\_\_\_ (sign): \_\_\_\_\_  
 Date: \_\_\_\_\_



Vinyl spec. W/Mechanical	
Date: Oct 12, 10	Drawn by: Kevin DiMarco
Created under RailPro Inc.	
Created for Internal purpose	
<u>Notes:</u>	

## RailPro Approved Installation Method For Use At Wood Siding To Deck Interface




By signing, it is agreed that the displayed procedure will be performed as requested

Name: \_\_\_\_\_ Employee Witness: \_\_\_\_\_  
 (print): \_\_\_\_\_ (print): \_\_\_\_\_  
 (sign): \_\_\_\_\_ (sign): \_\_\_\_\_  
 Date: \_\_\_\_\_



Vinyl spec. W/Mechanical	
Date: Oct 12, 10	Drawn by: Kevin DiMarco
Created under RailPro Inc.	
Created for Internal purpose	
Notes:	

## RailPro Approved Installation Method For Use At Wood Siding To Deck Interface



By signing, it is agreed that the displayed procedure will be performed as requested


Name: \_\_\_\_\_ Employee Witness: \_\_\_\_\_  
 (print): \_\_\_\_\_ (print): \_\_\_\_\_  
 (sign): \_\_\_\_\_ (sign): \_\_\_\_\_  
 Date: \_\_\_\_\_



Vinyl spec. W/Hardie Board  
 Date: Oct 12, 10 Drawn by: Kevin DiMarco  
 Created under RailPro Inc.  
 Created for Internal purpose

Notes:  
 \_\_\_\_\_  
 \_\_\_\_\_

## RailPro Approved Installation Method For Use At Wood Siding To Deck Interface



By signing, it is agreed that the displayed procedure will be performed as requested

Name: \_\_\_\_\_ Employee Witness: \_\_\_\_\_  
 (print): \_\_\_\_\_ (print): \_\_\_\_\_  
 (sign): \_\_\_\_\_ (sign): \_\_\_\_\_  
Date: \_\_\_\_\_



Vinyl spec. W/Us Beforehand

Date: Oct 12, 10      Drawn by: Kevin DiMarco


Created under RailPro Inc.

Created for Internal purpose

Notes:

## Not Recommended Installation Method For Use At Wood Siding To Deck Interface

This Installation is not recommended by RailPro, nor is it an industry standard. It is not an approved waterproof finish. RailPro is unable to warranty any work using this procedure. By signing, it is agreed that the installation will be done without warranty.




Name: \_\_\_\_\_ Employee Witness: \_\_\_\_\_  
 (print): \_\_\_\_\_ (print): \_\_\_\_\_  
 (sign): \_\_\_\_\_ (sign): \_\_\_\_\_  
 Date: \_\_\_\_\_



Vinyl spec. W/Caulking bead	
Date: Oct 12, 10	Drawn by: Kevin DiMarco
Created under RailPro Inc.	
Created for Internal purpose	
Notes:	

## Not Recommended Installation Method For Use At Wood Siding To Deck Interface

This Installation is not recommended by RAILPRO, nor is it an industry standard. It is not an approved waterproof finish. RAILPRO is unable to warranty any work using this procedure. By signing, it is agreed that the installation will be done without warranty.



Name: \_\_\_\_\_ Employee Witness: \_\_\_\_\_  
 (print): \_\_\_\_\_ (print): \_\_\_\_\_  
 (sign): \_\_\_\_\_ (sign): \_\_\_\_\_  
 Date: \_\_\_\_\_



Vinyl spec. W/Caulking bead	
Date: Sept 28/10	Drawn by: Kevin DiMarco
Created under RAILPRO INC.	
Created for Internal purpose	
Notes:	